



All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for existing institutes only)

Regional office	Northern
-----------------	----------

Application Id	1-1498874361
Name of the Institute	GOVERNMENT POLYTECHNIC BUDAUN
Address	BISAULI ROAD
City/Village	BUDAUN
District	BUDAUN
State	Uttar Pradesh
Pin	243601

	Name	Qualification	Appointment type	PhD
Principal	LAL SINGH	B.TECH., -,	Regular	

Overall Deficiency of Institute:	Y
----------------------------------	---

Other Details

Details of Requirement	Status provided by the Institute	Deficiency
List of faculty and data uploaded on the institute web portal	Y	No
Are all approved teaching faculty being paid as per VI pay commission?	Y	No
Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
Fees to be charged, Reservation policy,	Y	No

Date of Signature		Seal of Institute		Name & signature of Director /Principal	
-------------------	--	-------------------	--	---	--

Admission policy and Document retention policy are uploaded in Institute's Website?		
Courses/Approved Intake displayed at the entrance of the institute?	Y	No

Anti-Ragging Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Constitution of Anti-Ragging Committee	Yes	No
Constitution of Anti-Ragging Squad	No	Yes
Affidavit obtained from all Students	Yes	No
Appointment of Counselors	Yes	No
Affidavit obtained from parents of all the students	Yes	No
Affidavit obtained from students staying in Hostel:	Yes	No
Affidavit obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Grievance Committee	No	Yes

Total Number of Students in Institute

No of Students UG	0
No of Students PG	0
No of Students DIPLOMA	720
Total Students (CI) (UG+PG+DIPLOMA)	720

Institute Level Faculty

	Actual number	Required number as per CI	Deficiency
Total Faculty (UG+PG+DIPLOMA)	19	36	Yes

Date of Signature		Seal of Institute		Name & signature of Director /Principal	
-------------------	--	-------------------	--	---	--

Program Level Faculty

Sr.Number	Course Unique Id	Program	Course	Level	Course Duration	Full Time / Part Time	Approved Intake (12-13)	Approved Intake (11-12)	Approved Intake (10-11)	Approved Intake (09-10)	Approved Intake (08-09)	Faculty
1	1-1498874461	ENGINEERING AND TECHNOLOGY	PAINT TECHNOLOGY	DIPL OMA	3	FULL TIME	60	60	60	0	0	4
2	1-1498874463	ENGINEERING AND TECHNOLOGY	CHEMICAL ENGINEERING(FERTILIZER)	DIPL OMA	3	FULL TIME	60	60	60	60	30	4
3	1-1515779067	ENGINEERING AND TECHNOLOGY	CHEMICAL ENGINEERING	DIPL OMA	3	FULL TIME	60	60	60	60	30	4
4	1-1515779249	ENGINEERING AND TECHNOLOGY	CHEMICAL TECHNOLOGY(RUBBER / PLASTIC)	DIPL OMA	3	FULL TIME	60	60	60	60	30	4
5	1-1584004174	ENGINEERING AND TECHNOLOGY	CHEMICAL ENGINEERING (FERTILIZER)	DIPL OMA	3	FULL TIME	0	0	0	0	0	4
6	1-1590711944	ENGINEERING AND TECHNOLOGY	CHEMICAL TECHNOLOGY(RUBBER / PLASTIC)	DIPL OMA	3	FULL TIME	0	0	0	0	0	4

Administrative Area

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Principal / Director Office	40	30	No
Central Store	60	30	No
Maintenance	10	10	No
Security	10	10	No
Housekeeping	10	10	No
Exam Control Office	40	30	No
Placement Office	30	30	No
Office All Inclusive	152	150	No

Amenities Area

Date of Signature		Seal of Institute		Name & signature of Director /Principal	
-------------------	--	-------------------	--	---	--